

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Canceled).
2. (Previously Presented): A printer-incorporated electronic still camera comprising an imaging device, a memory, a printing device, a display device, and a mode selection device for switching over the still camera between a photography mode for converting optical images into electronic image signals through the imaging device and storing the image signals in the memory, a reproduction mode for displaying still images on the display device based on the image signals read out from the memory, a print mode for printing the displayed still image on a recording medium, and a setup mode for setting up many kinds of setup items of the still camera, wherein the setup items are sorted into a plurality of groups, and the display device displays the setup items of one group at a time in the setup mode, the printer-incorporated electronic still camera further comprising an acceleration sensor and a device for judging by signals from the acceleration sensor whether the still camera is in a stable position or in an unstable position, and controlling the display device to display a group of setup items that relate to the photography mode initially if the still camera is judged to be in the unstable position when the setup mode is selected, or a group of setup items that relate to the print mode initially if the still camera is judged to be in the stable position when the setup mode is selected.

3. (Previously Presented): A printer-incorporated electronic still camera comprising an imaging device, a memory, a printing device, a display device, and a mode selection device for switching over the still camera between a photography mode for converting optical images into electronic image signals through the imaging device and storing the image signals in the memory, a reproduction mode for displaying still images on the display device based on the image signals read out from the memory, a print mode for printing the displayed still image on a recording medium, and a setup mode for setting up many kinds of setup items of the still camera, wherein the setup items are sorted into a plurality of groups, and the display device displays the setup items of one group at a time in the setup mode, the printer-incorporated electronic still camera further comprising a lens shielding device for shielding a lens of the imaging device from external light, and a detection device for detecting whether or not the lens is shielded by the lens shielding device, and a control device for controlling the display device to display a group of setup items that relate to the photography mode initially if the lens is not shielded when the setup mode is selected, or a group of setup items that relate to the print mode initially if the lens is shielded when the setup mode is selected.

4. (Previously Presented): A printer-incorporated electronic still camera comprising an imaging device, a memory, a printing device, a display device, and a mode selection device for switching over the still camera between a photography mode for converting optical images into electronic image signals through the imaging device and storing the image signals in the memory, a reproduction mode for displaying still images on the display device based on the image signals read out from the memory, a print mode for printing the displayed still image on a

recording medium, and a setup mode for setting up many kinds of setup items of the still camera, wherein the setup items are sorted into a plurality of groups, and the display device displays the setup items of one group at a time in the setup mode, the printer-incorporated electronic still camera further comprising a detection device for detecting whether or not the recording medium is loaded in the still camera, and a control device for controlling the display device to display a group of setup items that relate to the photography mode initially if the still camera is not loaded with the recording medium when the setup mode is selected, or a group of setup items that relate to the print mode initially if the still camera is loaded with the recording medium when the setup mode is selected.

5. (Original): A printer-incorporated electronic still camera as claimed in claim 4, wherein the recording medium is a self-development type photo film sheet, and the still camera is provided with a pack loading chamber for loading a film pack that contains a plurality of said photo film sheets therein, wherein the detection device is located in the pack loading chamber to detect whether the film pack is loaded or not.

6-15. (Canceled).

16. (New): A method for using an electronic camera comprising an imaging device, a memory, a printing device, a display, and a mode selection device, the method comprising:
switching the electronic camera between one of a photography mode for converting optical images into electronic image signals through the imaging device and storing the electronic image signals in the memory, a reproduction mode for displaying the electronic image

signals on the display, a print mode for printing the electronic image on a recording medium using the printing device, and a setup mode for setting up a plurality of setup items of the electronic camera, wherein the plurality of setup items are sorted into a plurality of groups, and the display device displays only one of the plurality of groups at a time in the setup mode;

judging a stability of a camera body of the electronic camera; and

displaying one of the plurality of groups in accordance with the stability of the camera body when the setup mode is selected,

wherein the plurality of groups comprises a print menu relating to the print mode and a camera menu relating to the photography mode and one of the print mode and the photography mode is displayed in accordance with the stability.